

Corrigenda and Addenda

Correction: Measuring Physical Functioning Using Wearable Sensors in Parkinson Disease and Chronic Obstructive Pulmonary Disease (the Accuracy of Digital Assessment of Performance Trial Study): Protocol for a Prospective Observational Study

Debbie de Graaf¹, MSc; Nienke M de Vries¹, PhD; Tessa van de Zande¹, MSc; Janneke J P Schimmel¹, MSc; Sooyoon Shin², PhD; Nathan Kowahl², MSc; Poulami Barman², MSc; Ritu Kapur^{1,2}, PhD; William J Marks Jr², MD, MS; Alex van 't Hul³, PhD; Bastiaan R Bloem¹, MD, PhD

¹Radboud University Medical Center, Donders Institute for Brain, Cognition and Behavior, Department of Neurology, Center of Expertise for Parkinson & Movement Disorders, Nijmegen, Netherlands

²Verily Life Sciences, South San Francisco, CA, United States

³Radboud University Medical Center, Radboud Institute for Health Sciences, Department of Respiratory Diseases, Nijmegen, Netherlands

Corresponding Author:

Debbie de Graaf, MSc

Radboud University Medical Center

Donders Institute for Brain, Cognition and Behavior

Department of Neurology, Center of Expertise for Parkinson & Movement Disorders

Reinier Postlaan 4

Nijmegen, 6525 GC

Netherlands

Phone: 31 243613450

Email: debbie.degraaf@radboudumc.nl

Related Article:

Correction of: <https://www.researchprotocols.org/2024/1/e55452>

(*JMIR Res Protoc* 2024;13:e68647) doi: [10.2196/68647](https://doi.org/10.2196/68647)

In “Measuring Physical Functioning Using Wearable Sensors in Parkinson Disease and Chronic Obstructive Pulmonary Disease (the Accuracy of Digital Assessment of Performance Trial Study): Protocol for a Prospective Observational Study” (*JMIR Res Protoc* 2024 May 7;13:e55452) the authors noticed one error:

The last author's name was listed as:

Bastiaan Bloem

This has been changed to the following:

Bastiaan R Bloem

The correction will appear in the online version of the paper on the JMIR Publications website on December 09, 2024, together with the publication of this correction notice. Because this was made after submission to PubMed, PubMed Central, and other full-text repositories, the corrected article has also been resubmitted to those repositories.

This is a non-peer-reviewed article. Submitted 11.11.24; accepted 13.11.24; published 09.12.24.

Please cite as:

de Graaf D, de Vries NM, van de Zande T, Schimmel JJP, Shin S, Kowahl N, Barman P, Kapur R, Marks Jr WJ, van 't Hul A, Bloem BR

Correction: Measuring Physical Functioning Using Wearable Sensors in Parkinson Disease and Chronic Obstructive Pulmonary Disease (the Accuracy of Digital Assessment of Performance Trial Study): Protocol for a Prospective Observational Study

JMIR Res Protoc 2024;13:e68647

URL: <https://www.researchprotocols.org/2024/1/e68647>

doi: [10.2196/68647](https://doi.org/10.2196/68647)

PMID:

©Debbie de Graaf, Nienke M de Vries, Tessa van de Zande, Janneke J P Schimmel, Sooyoon Shin, Nathan Kowahl, Poulami Barman, Ritu Kapur, William J Marks Jr, Alex van 't Hul, Bastiaan R Bloem. Originally published in JMIR Research Protocols (<https://www.researchprotocols.org>), 09.12.2024. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR Research Protocols, is properly cited. The complete bibliographic information, a link to the original publication on <https://www.researchprotocols.org>, as well as this copyright and license information must be included.